ChristianaCare DOCORD ChristianaCare Outpatient Ambulatory Infusion DOCORD ChristianaCare Outpatient Ambulatory Infusion DOCORD'S ORDER SHEET Outpatient Outpatient Ambulatory Infusion Bide 1 of 2 Side 1 of 2 9. On on teturn charts with new or changed orders to rack. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On on teturn charts with new or changed orders to rack. 9. On onter teturn charts with new or changed orders to rack. 9. On onter teturn charts with new or changed orders to rack. 9. On onter teturn charts with new or changed orders to rack. 9. On onter teturn charts with new or changed orders to rack. 9. On onter teturn charts with new or changed orders to rack. 9. On onter teturn charts with new orders to rack. 9. On onter teturn charts with new orders to rack. 9. On onter teturn charts with new orders to rack. 9. On onter teturn charts with new orders to rack. 9. On onter teturn charts with new orders to rack. 9. On onter teturn		REQUISITIONED NC	DTED
Patient's Name:			
Patient's Date of Birth://			
Allergies:	□ NKDA		
Diagnosis:(I	ICD-10 Code & Title)		
Medication:			
Access port and flush with Normal Saline 0.9% 10 mL IV			
□ Port flush every 12 weeks			
Administer Alteplase (CathFlo) 2 mg IV if no blood return noted from the centr device and if proper needle placement has been verified by a second nurse. A catheter for 30 minutes to 2 hours; may instill a second dose if catheter remai 2 hours	Allow to dwell in		
Signature/Title	Contact phone #		
Print Name or ID#	///	 Time	



## ChristianaCare Outpatient Ambulatory Infusion DOCTOR'S ORDER SHEET **OUTPATIENT INFUSION PORT FLUSH** Side 2 of 2

- Key:
- BID Twice daily
- D/C Discontinue
- hr - Hour
- IM - Intramuscular
- IV - Intravenous
- kg - Kilogram
- L - Left
- LD - Loading dose
- LR - Lactated ringers
- mcg Microgram
- MD - Maintenance dose

- mg Milligram
- min Minute
- Milliliter mL
- Nanogram ng
- NPO Nothing by mouth
- NSS Normal saline solution
- PCA Patient controlled analgesia
- PO By mouth
- PRN As needed
- Right R
- TID Three times daily